



भारतीय मानक ब्यूरो  
BUREAU OF INDIAN STANDARDS

(Gandhidham Branch Office)

For any other communication Address: Gandhidham Branch Office- F P No. 364/P, Ward no. 13, Opposite Crystal Mall, Next to Bharat Petrol Pump, Kalawad Road, Rajkot, Rajkot, Gujarat, 360005  
Phones : 0281-2563981, 2563982, 2563984, 2563978  
E-Mail: rjbo-2@bis.gov.in  
web : www.bis.org.in, www.manakonline.in

हमारा संदर्भ: GDBO/CM/L- 7900156720

दिनांक: 13-05-26


मैसर्स ऑरेलियस इंडस्ट्रीज एलएलपी  
सर्वे नंबर 49/1पी1, बुटियू, टंकारा-लतीपर रोड,  
एटी.सावडी, ता.टंकारा, जिला. मोरबी, गुजरात, भारत 363650

महोदय,

कृपया इस पत्र के साथ संलग्न पत्र का अवलोकन करें। इस संदर्भ में आपसे निवेदन है की संलग्न पत्र पर आवश्यक कार्यवाही शीघ्र करें एवं पत्र प्राप्त की पावती इस कार्यालय को भिजवा दें।

संलग्न: उपरोक्तानुसार

भवदीय,

  
(ऋतुराज सिंह)  
वैज्ञानिक ई एवं प्रमुख



**भारतीय मानक ब्यूरो**  
**BUREAU OF INDIAN STANDARDS**  
**मानक चिह्न के उपयोग के लिए अनुज्ञप्ति**  
**LICENCE FOR THE USE OF STANDARD MARK**

अनुज्ञप्ति सं. सीएम/एल- 7900156720

Licence No. CM/L- 7900156720

यह ब्यूरो, भारतीय मानक ब्यूरो अधिनियम, 2016 (2016 का 11) द्वारा प्रदत्त शक्तियों के आधार पर

मैसर्स ऑरिलियस इंडस्ट्रीज एलएलपी  
सर्वे नंबर 49/1पी1, बुटियू, टंकारा-लतीपर रोड,  
एटी.सावडी,ता.टंकारा,जिला. मोरबी, गुजरात, भारत 363650

को (जिसे इसमें आगे 'अनुज्ञप्तिधारी' कहा गया है) इसकी प्रथम अनुसूची के पहले स्तंभ में विनिर्दिष्ट मानक चिह्न का, इस अनुसूची के तीसरे स्तंभ में दी गई किस्सों पर, उपयोग करने के लिए यह अनुज्ञप्ति प्रदान करता है। इन उत्पादित किस्सों पर चिह्न का उपयोग उक्त अनुसूची के द्वितीय स्तंभ में समय - समय पर संशोधित अथवा पुनरीक्षित/संदर्भित संबद्ध भारतीय मानक (मानकों) के अनुसार/अनुरूप विनिर्मित हो।

By virtue of the power conferred on it by the BUREAU OF INDIAN STANDARDS ACT, 2016 (11 of 2016) the BUREAU hereby grants to

M/S AURELIUS INDUSTRIES LLP  
SURVEY NO.49/1p1, BUTIYU, TANKARA-LATIPAR ROAD,  
AT.SAVDI,TA.TANKARA,DIST. MORBI, GUJARAT,INDIA 363650

(hereinafter called the Licensee) this Licence to use the Standard Mark set out in the first column of the First Schedule hereto, upon or in respect of the varieties set out in the third column of the said Schedule which is manufactured in accordance with/conforms to the related Indian Standard(s) referred to in the second column of the said Schedule as from time to time amended or revised.


2. इस अनुज्ञप्ति में अनुबंध की शर्तें जो संलग्न अनुलग्नक में दी गई हैं, के लिए अनुज्ञप्तिधारी उत्तरदायी है। यह अनुज्ञप्ति पहली अनुसूची में यथा - उल्लिखित नाम, कारखाना के पते और अवधि के लिए विधिमान्य होगा और इसे स्कीम-1 में निर्दिष्टानुसार नवीकृत कराया जा सकता है।

2. This Licence carries obligations on part of the licensee as conditions of licence, which are given in Annexure attached herewith. This licence shall be valid for the name, factory address and period as mentioned in this schedule and may be renewed as prescribed in the scheme I.




**अनुसूची / SCHEDULE**  
(अनुज्ञप्ति सं० सी एम/एल- 7900156720)  
(Licence No. CM/L- 7900156720)

नाम : मैसर्स ऑरैलियस इंडस्ट्रीज एलएलपी  
Name : M/S AURELIUS INDUSTRIES LLP  
फैक्ट्री एड्रेस : सर्वे नंबर 49/1पी1, बुटियू, टंकारा-लतीपर रोड, एटी.सावडी, ता.टंकारा, जिला. मोरबी, गुजरात, भारत 363650  
Factory Address : SURVEY NO.49/1p1, BUTIYU, TANKARA-LATIPAR ROAD, AT.SAVDI,TA.TANKARA, DIST. MORBI, GUJARAT, INDIA 363650  
विधिमान्यता : चौबीस अप्रैल दो हज़ार छब्बीस से तेइस अप्रैल दो हज़ार इकतीस  
Validity : From Twenty Fourth April Two Thousand Twenty Six to Twenty Third April Two Thousand Thirty One

मानक चिह्न (Standard Mark)	भारतीय मानक (Indian Standard)	अनुज्ञप्ति का विषय -क्षेत्र (Scope of Licence)	चिह्नंकन फीस (Marking Fee)
(1)	(2)	(3)	(4)
IS 16018  CM/L- 7900156720	IS 16018:2012  Wheeled Extinguishers Performance Construction Specification	Fire and  Wheeled Fire Extinguisher Extinguisher, Media Carbon Dioxide Based, Nominal Capacity 9kg, Fire Rating Class B, Operating Temperature -30 Deg. C to +55 Deg. C	एक वर्ष की प्रचालन अवधि के दौरान न्यूनतम मुहरांकन फीस ₹ 49600.00 के साथ सभी इकाईयों के लिए ₹ 10.35 प्रति इकाई। इकाई: 1 PIECE ₹ 10.35 per unit for all units with a Minimum Marking Fee of ₹ 49600.00 during an operative period of one year Unit: 1 PIECE  एक प्रचालन वर्ष के लिए न्यूनतम चिह्नंकन शुल्क अग्रिम में देय होगी जो अगले नवीकरण में अग्रनीत होगी। Minimum marking fee for one operative year payable in advance which will be carried over to next renewal(s)

आज 13 मई दो हज़ार छब्बीस को हस्ताक्षरित तथा मोहरबंद किया गया।  
Signed, Sealed and Dated this May Two Thousand Twenty Six.

भारतीय मानक ब्यूरो के लिए  
For BUREAU OF INDIAN STANDARDS

  
प्रमुख (गांधीधाम शाखा कार्यालय)  
Head (Gandhidham Branch Office)

Annexure  
(Licence No. CM/L-7900156720)

Conditions of the licence

- (1) The design of Standard Mark shall be identical to the facsimile given in the licence.
- (2) The photographic enlargement or reduction of the Standard Mark may also be used, unless otherwise specified by the Bureau.
- (3) The licensee shall be responsible for the conformity of the goods, article, process, system or service to the Indian Standard in relation to which Standard Mark is used or applied.
- (4) The licensee shall not use the Standard Mark in relation to goods, articles, process, system or service which are non-conforming or outside the scope of the licence.
- (5) If goods and articles in relation to which a Standard Mark has been used do not conform to the requirements of the relevant standard, the Bureau may direct the licensee or his representative to recall such non-conforming goods.
- (6) The Standard Mark shall not be used or applied in relation to any goods, article, process, system or service during deferment or suspension, or, after expiry or cancellation of the licence.
- (7) The licensee shall comply with the provisions of the conformity assessment scheme under which licence is granted, including labelling and marking requirements.
- (8) The licensee shall maintain records as specified by the Bureau from time to time.
- (9) The licensee shall provide the Bureau all assistance in connection with carrying out inspection or audit at its premises.
- (10) The licensee shall provide information relating to production and use or applying of Standard Mark as and when it is required by the Bureau.
- (11) If the licence is granted to use or apply Standard Mark on goods or articles, the licensee shall provide the list of consignees, distributors, dealers or retailers to whom goods or articles with Standard Mark is supplied.
- (12) The licence shall not be transferred to any person without approval of the Bureau.
- (13) If a complaint regarding quality of any goods, article, process, system or service bearing Standard Mark is established, the Bureau may direct the licensee or his representative to repair or replace or reprocess the standard marked goods and articles.
- (14) The Bureau shall have the right to amend any of the conditions of licence by giving a notice of not less than one month to the licensee.



भारतीय मानक ब्यूरो  
BUREAU OF INDIAN STANDARDS

(Gandhidham Branch Office)

For any other communication Address: Gandhidham Branch Office- F P No. 364/P, Ward no. 13, Opposite Crystal Mall, Next to Bharat Petrol Pump, Kalawad Road, Rajkot, Rajkot, Gujarat, 360005  
Phones : 0281-2563981, 2563982, 2563984, 2563978  
E-Mail: rjbo-2@bis.gov.in  
web : www.bis.org.in, www.manakonline.in

SPEED POST

हमारा संदर्भ : GDBO/CM/L- 7900156720

दिनांक : 13-05-26

Subject: Grant of BIS Product Certification Licence No. – 7900156720 as per IS 16018:2012.

M/S AURELIUS INDUSTRIES LLP  
SURVEY NO.49/1p1, BUTIYU, TANKARA-LATIPAR ROAD,  
AT.SAVDI, TA.TANKARA, DIST. MORBI, GUJARAT, INDIA 363650

Dear Sir,

With reference to your application, we are pleased to inform you that the Certification Marks Licence has been granted to you to use the Standard Mark in respect of the followings:

Product:

**Grade/Class/Type/Variety**

Wheeled Fire Extinguisher Extinguisher, Media Carbon Dioxide Based, Nominal Capacity 9kg, Fire Rating Class B, Operating Temperature -30 Deg. C to +55 Deg. C

As per IS 16018:2012.

1. The licence is granted on the explicit condition that you will mark entire/substantial production which conforms to the Indian Standards.
2. The number assigned to this Licence is CM/L-7900156215 which has been made operative from 2026-04-24 and is valid up to 2031-04-23. This licence is granted for 5 years with applicable fee deposition of one year only. Requisite fee is required to be submitted annually with details as given at para 6, 7 and 8 of this letter. The licence number shall invariably be referred to in your future correspondence.
3. The licence is granted on the explicit condition that you shall mark entire production under scope of licence with Standard Mark and maintain conformity to the relevant Indian Standards. Accordingly, you shall cover the entire production under scope of licence with Standard Mark and maintain conformity to the relevant Indian Standards. In addition, you shall display the BIS product certification licence held by you prominently at your premises and also mention the BIS product certification licence held by you in your commercial advertisements.
4. According to Sub-Paragraph (1) & (3) of Paragraph 5 of Scheme-I of Schedule-II under Bureau of Indian Standards (Conformity Assessment) Regulations, 2018, the annual licence fee of Rs.1000.00 and the marking fee as notified is payable by you with effect from 2026-04-24 for the period of validity of the licence in advance.
5. Minimum Marking fee stipulated under of Scheme-I of BIS (Conformity Assessment) Regulations, 2018 is payable by you regardless of the fact whether you actually mark your product or not with the Standard Mark. Our Receipt No. AA79PC2025001400 dated 2026-03-28 for the licence fee and the minimum marking fee for the first operative period is already enclosed.
6. This advance minimum marking fee will be carried over to the next year on every occasion. The actual marking fee calculated on the unit rate on the production marked or the minimum marking fee, whichever is higher, shall be payable by you annually before completion of one year period. Production statement is required to be furnished by you for calculation of actual marking fee.

*Handwritten signature in blue ink.*


7. With a view to streamlining the reporting of quantity marked, calculation and collection of marking fee on the unit rate basis, fees will be calculated on the production marked during the first nine months of operation of the licence at the time of first renewal, and on the production marked during twelve months comprising the last three months of the previous operative year and the first nine months of the current operative year, at the time of the second and subsequent renewals. In case the licence expires, the entire production marked till the expiry date shall be taken into account for calculating the marking fee payable.
8. If the production statement and/or annual fees is not received within timelines (i.e. before completion of the one year period), then the licence shall stand suspended or deferred for 90 days duration. During the period of these 90 days, the requisite information with fee accompanied with late fee of ₹ 5,000 can be submitted to make the licence operative. Otherwise, the licence shall stand cancelled or expired.
9. The Quality Assurance Plan (QAP) submitted by you and agreed by BIS or the Scheme of Inspection and Testing as specified by BIS\* will have to be implemented by your organisation strictly and completely. This supervision of the operation of the Scheme shall be done by a person responsible for the quality control function in your organisation. Kindly inform us the name and designation of the person who will be held responsible for the operation and maintenance of the Scheme. Any future change in this respect will have to be communicated by you to us as and when these take place.
10. We are enclosing a sheet giving the preferred dimensions of the Standard Mark to enable you to prepare the designs of the Standard Mark for marking the above product Photographic reduction in any size is permissible. This will ensure the relative proportions of the different dimensions maintained. Preferred dimensions be used as far as possible.
11. On commencement of marking of your product for which you are licensed, you may advertise your product with Standard Mark in various media only during the validity of your licence. The use of Standard Mark on letterheads and publicity literature will be permitted only on receipt of your assurance that in the event of cancellation or lapsing of your licence, the Standard Mark on your letterheads, publicity literatures etc. will be destroyed/obliterated.
12. This licence is granted for your manufacturing premises Situated at **SURVEY NO.49/1p1, BUTIYU, TANKARA-LATIPAR ROAD, AT.SAVDI, TA.TANKARA, DIST. MORBI, GUJARAT, INDIA 363650** Privileges under the licence shall not be exercised by any other firm company / factory etc. This licence is not transferable in the event of shifting the manufacturing and testing equipment from the licensed premises to some other place, use of Standard Mark shall be stopped till the new premises are inspected and found to be satisfactory by BIS in respect of manufacturing and testing facilities available there and the address of the new premises is endorsed in the licence.
13. You are also advised to make yourself and other employees in your organisation aware about the provisions of the BIS Act, 2016 and Rules and Regulations framed thereunder especially the implications in case of any intentional or unintentional non-adherence.

Thanking you,



Encl: As above

Yours faithfully,

  
13-05-26  
(ऋतुराज सिंह)  
वैज्ञानिक ई एवं प्रमुख



भारतीय मानक ब्यूरो  
BUREAU OF INDIAN STANDARDS

(Gandhidham Branch Office)

For any other communication  
Address: Gandhidham Branch Office-  
F P No. 364/P, Ward no. 13, Opposite  
Crystal Mall, Next to Bharat Petrol  
Pump, Kalawad Road, Rajkot,  
Rajkot, Gujarat, 360005  
Phones : 0281-2563981, 2563982, 2563984,  
2563978  
E-Mail: rjbo-2@bis.gov.in  
web : www.bis.org.in, www.manakonline.in

हमारा संदर्भ: GDBO/CM/L- 7900156720

दिनांक: 13-05-26

M/S AURELIUS INDUSTRIES LLP  
SURVEY NO.49/1p1, BUTIYU, TANKARA-LATIPAR ROAD,  
AT.SAVDI, TA.TANKARA, DIST. MORBI, GUJARAT, INDIA  
363650

**Subject: Advertisement to be issued by the new licensee**

Dear Sir/Madam

By obtaining the BIS Certification Marking Licence you have joined the large family of licencees operating the BIS Certification Marking Scheme.


As you are no doubt aware that the consumers are anxiously looking for products conforming to the standards and they would be interested to know the BIS Licencees. It is, therefore, necessary that the fact that your product has been covered under a BIS licence should be made known far and wide and for this purpose we should suggest that you advertise this fact in the newspapers giving this information and details of your product for which the licence has been granted. To create a better image in consumer's mind, the standard mark which has been granted may also be displayed in the advertisements in regional newspapers to obtain better coverage.

You may also consider having additional publicity through other media such as radio or TV.

We do hope that you would implement the above suggestions and we would request you to send us the text of your advertisement for our approval together with entire advertisement/publicity program for the year.

Thanking you,

Yours faithfully,

  
(ऋतुराज सिंह)  
वैज्ञानिक ई एवं प्रमुख

## GENERAL INSTRUCTIONS ON SIZES OF ISI MONOGRAM TO BE USED BY LICENSEES UNDER ISI CERTIFICATION MARKS SCHEME

Refer to the Standard Mark indicated in your licence. Regarding size please note that:

- a) Photographic reduction in any size of Figure 1 is permissible, and
- b) Preferred dimensions as given in Table 1 be used as far as possible.




FIG. 1

TABLE 1 PREFERRED DIMENSIONS OF ISI MONOGRAM

All dimensions in millimetres

A	B	a	R	r	SIZE OF LETTERS
2.5	1.9	0.2	0.4	-	1.0 mm
5	3.8	0.4	0.8	0.1	1.0 mm
10	7.5	0.7	1.7	0.2	2.0mm
20	15	1.5	3.3	0.5	3.0 mm
40	30	2.9	6.7	1.0	4.0mm
80	60	5.9	13.4	1.9	6.0 mm
160	120	11.7	26.7	3.8	10.0 mm
320	240	23.4	53.4	7.6	16.0 mm